

ENSEMBLE™

NOW IN PANTONE® COLOURS



ENSEMBLE CEILINGS WITH ACOUSTIC PERFORMANCE. PROOF THAT WALLS AREN'T THE ONLY SURFACE THAT CAN BE A FOCAL POINT.




Architects, interior designers and their clients look for a clean, seamless ceiling finish in impressive public spaces.

Now USG Boral Ensemble™ Seamless Acoustical Plasterboard Ceiling System offers clean, elegant aesthetics in any colour finish in the PANTONE® range with the sound performance you need. A perfect solution for lobbies, atria, galleries, corridors, conference rooms, educational and other spaces with multiple hard surfaces and ambient noise.

Choose your desired colours to set the right mood for your applications today.

PANTONE® COLOURS



Notes:

Due to printing limitations, the colours depicted are for reference only.

The Pantone® colour list above is not exhaustive. For other colours, the Pantone® colour codes must be provided during the placement of orders. Lead time applies.

SPECIFICATIONS AND INSTALLATION



Form and Function

Today, building owners and occupants desire high-performing acoustical solutions with a clean and elegant finish. The ceiling is a critical surface that can manage the acoustical performance and enhance the overall aesthetic of a room.

USG Boral has created a new integrated system that offers the uninterrupted look of plasterboard with the high-performance acoustics of traditional lay-in ceiling panels.

Applications

Ideal for high-end ceiling applications, including lobbies, atria, restaurants, galleries, museums, retail, classrooms,

executive or board rooms, and other spaces with multiple hard surfaces.

Features and Benefits

- Non-directional, monolithic appearance with fine texture
- Special acoustical perforated USG Boral Ensemble™ Panels to optimise sound performance
- Installs and finishes similar to plasterboard
- High light-reflective finish (LR-.85), reduces fixture and energy use

- Acoustically transparent spray-applied finish allows sound to pass through
- Final finish colour can be matched to any PANTONE® PMS colour giving greater flexibility of design
- Meets or exceeds minimum ceiling performance requirements for traditional acoustical ceilings
- Up to NRC 0.8, aw 0.8, CAC 48

Installation

Highly engineered USG Boral Ensemble panels are uniformly perforated to absorb sound at low to mid frequencies, upwards into the plenum space. The porous acoustical veils laminated to the front and rear of the panel helps with high-frequency absorption.

After panel installation, the system is completed with USG Boral Ensemble Spray-Applied Finish – creating a monolithic appearance with tiny irregular perforations which allow sound to pass through into the plenum.

Australia
China
India
Indonesia
Malaysia
Middle East
New Zealand
Thailand
Philippines
Singapore
South Korea
Vietnam

USG BORAL SDN. BHD. Reg. No.: 198501015361 (147816-U).

Lot 606, Jalan Lagoon Selatan,
47500 Subang Jaya,
Selangor Darul Ehsan, Malaysia.
Tel: (603) 5629 2000 **Fax:** (603) 5629 2008
Email: contact-us.my@usgboral.com

© 2021 USG BORAL. All rights reserved.

The trademarks USG Boral and INNOVATION INSPIRED BY YOU, are trademarks of USG Boral Building Products or one or more of its affiliates. Ensemble is a trademark owned by United States Gypsum Company and used under license. The trademark PANTONE is the property of Pantone LLC.

Information provided is for reference purpose only. Due care has been taken to ensure accuracy at time of publication. Products, specifications and requirements may vary according to geographical locations and applications. As each project is unique, please contact your nearest USG Boral representative for further assessment.

USGBoral.com

Plasterboards

Ceilings

Compounds

Metal Framing

Substrates